

DOOR STOPS

APPLICATIONS

The Sabre range of door stops provide options for floor, wall and frame mounting which is often determined on site conditions. Some conditions may not allow a floor mounted stop being used as it may

become a tripping hazard therefore a wall mounted stop is used. All Sabre door stops are made from premium quality materials and are all supplied with fixing screws.

FLOOR MOUNTED

SAB-DS250 Material: Zinc Finishes: Satin Chrome, Chrome Plate, Black Fixings: 3x 10g 35mm CSK Timber Screws SSS







290 DOOR STOP SAB-DS290 Material: Zinc Finishes: Satin Chrome, Chrome Plate, Black Fixings: 1x 10g 30mm CSK Timber Screw SSS SC CP BLK






Ø45

DOOR STOPS

WALL MOUNTED

350 DOOR STOP SAB-DS350 Material: Aluminium Finishes: Anodized Fixings: 2x 8g 40mm CSK Timber Screws SSS Ø35

453 CUSHION DOOR STOP



500 DOOR STOP -ROUND, SQUARE

SAB-DS500

• Includes round and square rubbers supplied as standard

Material: 304 Stainless Steel Finishes: Satin Stainless Steel

Fixings: 3x 6g 25mm CSK Timber Screws SSS



510 DOOR STOP -ROUND, SQUARE


SAB-DS510


• Includes round and square rubbers supplied as standard


Material: 304 Stainless Steel Finishes: Satin Stainless Steel

Fixings: 3x 6g 25mm CSK Timber Screws SSS









550 DOOR STOP -ROUND, SQUARE

SAB-DS550

Includes round and square rubbers supplied as standard

Material: 304 Stainless Steel Finishes: Satin Stainless Steel

Fixings: 1x 8g 30mm CSK Timber Screw SSS








750 DOOR STOP

SAB-DS750

Material: 304 Stainless Steel

Finishes: Satin Stainless Steel

Fixings: 1x 8g 30mm CSK Timber Screw SSS



DOOR STOPS

SAB-DS884 Material: 304 Stainless Steel Finishes: Satin Stainless Steel Fixings: 6x 8g 25mm CSK Timber Screws SSS

FRAME MOUNTED



DOOR MOUNTED



MAGNETIC STOPS



